


Product Features

- TRI-PROOF LED NON CORROSIVE BATTEN IP65 All Weatherpoof, Waterproof, Dampproof and Dustproof.
- Perfect for the Indoor Outdoor Lighting in Packing Rooms, Laboratory, Perfusion Workshop, Dust Free Workshops, Polutry Farms, Ranches, Hotels, Bars.
- Made of High Quality LED Chip of Low Heat Radiation, No flicker, High Brightness, Save Upto 65% of Your Electricity Bill and Energy Safer, Faster and Easier Replacement for Fluorescent Tube Light Long Life of More Than 25,000 Hours, Energy Star Rating.

Technical Specification:

Model Number	:	KIT-IP65-1236
Size	:	120cm
Power (W)	:	36W
Lumen (lm)	:	3300lm
Voltage	:	AC200-265V, 50-60Hz
LED Chip	:	SMD 2835
Colour temperature	:	4000K
CRI	:	>80
Pf	:	<0.90
Material		Frosted PC + Alu. Frosted
	:	PC Cover
IP Rating	:	IP65
Beam Angle	:	160°
Dimension	:	1195*72*41mm






IP65 Tri-proof Fixture

1. Prepare the 2 pcs hooks, use the 2 screws to fix the hooks to the wall or ceiling.



2. Connect the waterproof terminal box with L(Brown wire) & N (Blue wire). Make Sure L & N matching.



- 1. Disconnect the power supply before installation or any maintenance work.
- 2. Installation and maintenance must be carried by qualified personnel and according to the current Directives on electrical systems.
- 3. The light source of this luminaire is not replaceable; when the right source reaches its end of life the whole luminaire shall be replaced.

Thank you for choosing ENER-J!

Customer satisfaction is our TOP priority, please let us know how you felt about your experience. Happy? We are so happy that you are pleased with our product. Feel free to express your newfound joy! Share your experience by writing a review.

Not Happy? If you are not fully satisfied with the item you received, have any problems like damages, or questions, please contact us. We typically respond within 24-48 hours.

Stuck? Confused?

Contact our Technical Support team on:

T: +44 (0)2921 252 473 | E: support@ener-j.co.uk

Lines are open Mon - Fri (8am to 4pm)